









FIRST PLATFORM




SECOND PLATFORM




TANK TOP




TANK ARRANGEMENT





INBOARD PROFILE




SUPERSTRUCTURE DECK




NAVIGATION DECK







INBOARD PROFILE




NAVIGATION DECK



TOP OF HOUSE



UPPER DECK



MAIN DECK

FUEL OIL TANKS & FUEL OIL SETTLING TANKS									
TANK NO.	LOCATION (FRAMES)	90% CAPACITY GALLONS	100% CAPACITY GALLONS	NET VOLUME CU. FT.	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS	NET WEIGHT TONS	NET WEIGHT TONS
FUEL OIL TANKS									
A-901P	12-37(E)	12,440	48.0	15,120	47.4	3.15	10.64		
A-902P	27-40(P)	9,990	33.9	9,800	28.7	2.17	10.73		
A-903P	27-40(P)	9,990	33.9	10,400	27.5	2.17	10.73		
A-904P	40-56(E)	15,050	54.3	15,250	27.1	1.84	10.77		
A-905P	40-56(E)	9,040	32.6	9,920	24.4	1.70	10.71		
A-906P	40-56(P)	9,040	32.6	9,920	24.4	1.70	10.71		
A-907P	56-68(E)	11,240	40.6	11,830	42.7	1.84	10.77		
A-908P	56-68(P)	10,160	36.7	10,700	36.8	1.59	10.64		
A-909P	56-68(E)	10,160	36.7	10,700	36.8	1.59	10.64		
B-901F	68-83(E)	13,940	50.3	14,870	50.0	1.59	10.64		
B-902F	68-83(P)	14,200	51.8	14,870	50.0	1.59	10.64		
B-903F	68-83(E)	12,870	47.1	13,030	46.2	1.39	10.54		
B-904F	84-108(E)	13,040	47.1	13,730	46.6	1.54	10.44		
B-905F	84-108(P)	12,780	46.0	13,430	45.4	1.52	10.40		
B-906F	84-108(E)	12,740	46.0	13,410	45.4	1.52	10.40		
C-901F	108-124(E)	18,950	68.4	19,050	72.0	3.04	10.80		
C-902F	108-124(P)	15,120	45.6	15,740	46.1	2.27	11.30		
C-903F	108-124(E)	12,100	43.7	12,740	46.0	2.27	11.30		
C-904F	124-135(E)	21,410	77.3	22,940	81.4	6.49	11.40		
C-905F	124-135(P)	20,600	75.5	22,000	79.4	7.54	11.08		
C-906F	135-146(P)	25,940	93.7	27,550	96.7	7.45	12.79		
C-907F	135-146(E)	25,940	93.7	27,550	96.7	7.45	12.79		
C-908F	146-156(E)	19,310	69.6	19,210	68.5	11.41	10.23		
C-909F	146-156(P)	19,310	69.6	19,210	68.5	11.41	10.23		
C-910F	156-166(E)	14,360	51.8	15,120	54.6	17.36	16.09		
C-911F	156-166(P)	14,360	51.8	15,120	54.6	17.36	16.09		
TOTAL		526,100	1,177	548,270	1,259				
FUEL OIL SETTLING TANKS									
B-1-3F	79-81(E)	20,990	76.1	21,470	76.1	11.77			
B-1-5F	81-83(E)	22,100	79.6	22,470	79.6	12.77			
B-3-2F	104-106(E)	20,600	75.5	21,000	75.5	10.77			
B-3-4F	108-110(E)	22,940	81.4	23,410	81.4	16.73			
TOTAL		86,630	313.2	88,350	313.2	51.77			

DIESEL OIL TANK									
TANK NO.	LOCATION (FRAMES)	90% CAPACITY GALLONS	100% CAPACITY GALLONS	NET VOLUME CU. FT.	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS	NET WEIGHT TONS	NET WEIGHT TONS
C-904F	124-135(E)	15,340	56.9	16,190	51.4	3.04	11.04		

RESERVE FRESH WATER, FRESH WATER & SALT WATER BALLAST TANKS									
TANK NO.	LOCATION (FRAMES)	90% CAPACITY GALLONS	100% CAPACITY GALLONS	NET VOLUME CU. FT.	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS	NET WEIGHT TONS	NET WEIGHT TONS
RESERVE FRESH WATER TANKS									
B-905W	84-95(E)	8,940	33.3	9,420	33.3	9.50			
B-906W	84-95(P)	9,150	34.0	9,490	34.0	9.50			
B-907W	84-95(E)	9,150	34.0	9,490	34.0	9.50			
TOTAL		27,240	101.3	28,400	101.3	28.50			
FRESH WATER TANKS									
B-2-2W	85-89(E)	7,260	26.1	7,650	26.1	7.77			
B-2-4W	89-93(E)	2,260	8.3	2,360	8.3	1.77			
TOTAL		9,520	34.4	10,010	34.4	9.54			
SALT WATER BALLAST TANKS									
A-1-1W	51E-124	14,210	52.6	14,810	52.6	10.55			
C-8-8W	157-167(P)	15,750	58.5	16,420	58.5	16.42			
C-9-9W	157-167(P)	15,750	58.5	16,420	58.5	16.42			
TOTAL		45,710	169.6	47,650	169.6	43.39			

GENERAL CARGO									
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU. FT.	LONG. C.V. PWS	LONG. C.V. APT	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS
A-9A	NO.1 CARGO HOLD	40-56 P&S	TANKTOP	80,780	91.80		11.74		
A-9A	NO.1 CARGO HOLD	40-56 P&S	1ST PLAT.	18,360	91.34		10.70		
C-1A	NO.2 CARGO HOLD	108-124 P&S	2ND PLAT.	37,320			10.10		
C-401A	GASOLINE STORAGE	108-124 P&S	TANKTOP	8,840			17.59		
C-3A	NO.3 CARGO HOLD	135-146 P&S	2ND PLAT.	10,420			16.77		
C-9A	NO.3 CARGO HOLD	135-146 P&S	1ST PLAT.	10,670			16.84		
TOTAL				116,410					


S.D. STORES									
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU. FT.	LONG. C.V. PWS	LONG. C.V. APT	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS
A-301A	S.D. STORES	12-27 P&S	2ND PLAT.	3,630	156.46		15.41		
A-303A	S.D. STORES	27-40 P&S	2ND PLAT.	10,050	128.76		18.56		
A-401A	S.D. STORES	12-27 P&S	TANKTOP	3,920	162.94		11.13		
A-403A	S.D. STORES	27-40 P&S	TANKTOP	7,470	120.09		9.28		
B-303-1A	S.D. STORES	68-95 P	2ND PLAT.	3,990		9.38	19.47		
C-303-1A	S.D. STORES	141-151 P	1ST PLAT.	730		19.53	26.86		
C-303A	S.D. STORES	124-130 P	2ND PLAT.	2,620		100.15	16.04		
A-202A	S.D. STORES	17-27 P&S	1ST PLAT.	5,600	152.83		28.54		
C-402A	S.D. STORES	108-124 P	TANKTOP	5,580			7.56		
C-403A	S.D. STORES	108-124 P	TANKTOP	5,580			7.56		
TOTAL				44,970					

DRY PROVISIONS									
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU. FT.	LONG. C.V. PWS	LONG. C.V. APT	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS
A-204A	DRY PROVISIONS	88-96 P&S	1ST PLAT.	1,840	40.86		24.31		
A-002A	POTATO LOCKER	20-24 P	UPPER DECK	400	158.5		46.73		
TOTAL				2,240					

REFRIGERATED STORES									
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU. FT.	LONG. C.V. PWS	LONG. C.V. APT	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS
A-304A	F&V IT	99-108 P	1ST PLAT.	1,800	98.84		24.16		
A-304A	MEAT	99-108 P	2ND PLAT.	3,010	60.82		14.85		
A-304A	VEGETABLES	99-108 P	2ND PLAT.	4,350	50.25		14.97		
A-304A	BUTTER/EGGS/EGG	99-108 P	2ND PLAT.	610	55.75		14.97		
TOTAL				9,770					

BOGUN'S STORES									
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU. FT.	LONG. C.V. PWS	LONG. C.V. APT	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS
A-101A	BOGUN'S STORES	80-112 P&S	MAIN DECK	3,800	190.92		45.28		
A-201A	LAMP LOCKER	80-112 P&S	1ST PLAT.	1,160	194.58		31.70		
A-202A	CANVAS EARNING ROOM	12-17 P&S	1ST PLAT.	1,560	172.19		30.02		
A-402A	PAINT/INFLAMMABLE LIQUIDS	25-27 P	TANKTOP	960	168.84		10.55		
TOTAL				7,480					

STORES FOR PERSONNEL									
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU. FT.	LONG. C.V. PWS	LONG. C.V. APT	NET WEIGHT LBS.	NET WEIGHT TONS	NET WEIGHT TONS
A-202A	MEDICAL STORES	12-17 P	1ST PLAT.	850	171.54		30.05		
B-101A	SHIP'S STORES	105-108 P	MAIN DECK	900	55.25		33.48		
B-101-L	SHIP'S SERVICE STORE	59-61 P&S	MAIN DECK	1,070	60.80		33.84		
B-205A	CLOTHES STORE	85-86 P	1ST PLAT.	640	0.56		24.32		
B-205A	MEDICAL STORES	90-93 P	1ST PLAT.	880		17.00	24.32		
B-205A	SHIP'S STORES	85-89 P&S	1ST PLAT.	5,280	2.79		24.30		
B-005A	MEDICAL STORES	97-99 P	UPPER DECK	190		33.50	41.08		
TOTAL				7,390					



PRINCIPAL DIMENSIONS
 LENGTH, OVERALL — 426'-0"
 LENGTH, S.P. — 400'-0"
 BEAM, MOLDED — 65'-0"
 DEPTH TO UPPER DECK AT SIDE — 37'-0"
 DEPTH TO MAIN DECK AT SIDE — 28'-0"
 DRAFT LOADED — 16'-0"
 PITCH (CONSTANT) — 15'-0"
 CAPACITIES AND TYPE OF WINCHES:
 2-5 TON BOOMS AT FR. 59
 4-5 TON BOOMS AT FR. 127-151
 1-30 TON BOOM AT FR. 34
 1-30 TON BOOM AT FR. 127
 HEIGHTS OF MASTS:
 MAINMAST — 50'-8" TOP OF TOPMAST 80'-8"
 FOREMAST — 59'-0" TOP OF TOPMAST 87'-0"
 ENGINES:
 TWO TURBO-ELECTRIC MAIN PROPULSION UNITS CONSISTING OF
 IMPULSE TURBINE ALTERNATING CURRENT GENERATOR AND
 SYNCHRONOUS INDUCTION TYPE MOTOR.
 BOILERS:
 TWO BOILERS OF THE TWO DRUM BENT TUBE DOUBLE CASING
 WITH CONVECTION SUPERHEATERS AND FITTED WITH EXTENDED
 SURFACE ECONOMIZERS.

LIGHT
 THE LIGHT SHIP WEIGHT
 DEADWEIGHT DETERMINED
 THIS LIGHT SHIP WEIGHT
 COMPLETE AND READY
 THE WEIGHT OF LIGHT
 LINES, FUEL OIL, GREASE,
 STORES, MATTRESSES,
 LIFE BOATS,
 LIFE RAFTS,
 NO. TYPE
 1 8' 30"
 2 40' 30"
 3 40' 30"
 4 20' 30"
 5 20' 30"
 6 20' 30"
 7 20' 30"
 8 20' 30"
 9 20' 30"
 10 20' 30"
 11 20' 30"
 12 20' 30"
 13 20' 30"
 14 20' 30"
 15 20' 30"
 16 20' 30"
 17 20' 30"
 18 20' 30"
 19 20' 30"
 20 20' 30"
 21 20' 30"
 22 20' 30"
 23 20' 30"
 24 20' 30"
 25 20' 30"
 26 20' 30"
 27 20' 30"
 28 20' 30"
 29 20' 30"
 30 20' 30"
 31 20' 30"
 32 20' 30"
 33 20' 30"
 34 20' 30"
 35 20' 30"
 36 20' 30"
 37 20' 30"
 38 20' 30"
 39 20' 30"
 40 20' 30"
 41 20' 30"
 42 20' 30"
 43 20' 30"
 44 20' 30"
 45 20' 30"
 46 20' 30"
 47 20' 30"
 48 20' 30"
 49 20' 30"
 50 20' 30"
 51 20' 30"
 52 20' 30"
 53 20' 30"
 54 20' 30"
 55 20' 30"
 56 20' 30"
 57 20' 30"
 58 20' 30"
 59 20' 30"
 60 20' 30"
 61 20' 30"
 62 20' 30"
 63 20' 30"
 64 20' 30"
 65 20' 30"
 66 20' 30"
 67 20' 30"
 68 20' 30"
 69 20' 30"
 70 20' 30"
 71 20' 30"
 72 20' 30"
 73 20' 30"
 74 20' 30"
 75 20' 30"
 76 20' 30"
 77 20' 30"
 78 20' 30"
 79 20' 30"
 80 20' 30"
 81 20' 30"

FUEL OIL TANKS & FUEL OIL SETTLING TANKS									
TANK NO.	LOCATION (FRAMES)	90% CAPACITY BALLONS	100% CAPACITY BALLONS	NET WT. (LBS.)	LONG. C.V.	NET WT. (LBS.)	LONG. C.V.	NET WT. (LBS.)	LONG. C.V.
FUEL OIL TANKS									
A-901F	12-27(E)	12400	15120	47.4	3.15	15040			
A-902F	27-40(F)	9300	9300	59.7	2.17	12730			
A-903F	27-40(F)	9300	9300	59.7	2.17	12730			
A-904F	40-56(E)	15030	15030	57.1	1.56	9177			
A-905F	40-56(E)	9040	9320	54.4	1.70	8937			
A-906F	40-56(F)	9040	9320	54.4	1.70	8937			
A-907F	56-68(E)	11240	11240	42.7	1.56	8677			
A-908F	56-68(F)	10180	10180	38.6	1.59	8644			
A-909F	56-68(E)	10180	10180	38.6	1.59	8644			
B-901F	68-83(E)	13940	13940	57.0	1.56	2310			
B-902F	68-83(F)	14300	14300	54.0	1.59	2296			
B-903F	68-83(E)	14300	14300	54.0	1.59	2296			
B-904F	83-108(E)	13040	13040	49.6	1.56	4044			
B-905F	83-108(F)	12740	12740	48.4	1.62	4010			
B-906F	83-108(E)	12740	12740	48.4	1.62	4010			
C-901F	108-124(E)	10980	10980	72.0	2.04	7808			
C-902F	108-124(F)	12120	12120	46.1	2.27	7130			
C-903F	108-124(E)	12100	12100	46.0	2.27	7120			
C-904F	124-135(E)	21410	21410	81.4	6.45	11140			
C-905F	124-135(F)	20900	20900	79.4	7.56	11081			
C-906F	124-135(E)	20900	20900	79.4	7.56	11081			
C-907F	135-146(E)	25960	25960	96.7	7.45	15799			
C-908F	135-146(F)	2350	2350	27.8	9.44	1894			
C-909F	146-156(E)	10310	10310	56.8	11.41	16738			
C-910F	146-156(F)	14960	14960	84.6	17.38	16189			
C-911F	146-156(E)	14960	14960	84.6	17.38	16189			
C-912F	156-170(E)	14360	14360	54.6	17.38	16189			
C-913F	156-170(F)	14360	14360	54.6	17.38	16189			
C-914F	170-184(E)	14360	14360	54.6	17.38	16189			
C-915F	170-184(F)	14360	14360	54.6	17.38	16189			
C-916F	184-198(E)	14360	14360	54.6	17.38	16189			
C-917F	184-198(F)	14360	14360	54.6	17.38	16189			
C-918F	198-212(E)	14360	14360	54.6	17.38	16189			
C-919F	198-212(F)	14360	14360	54.6	17.38	16189			
C-920F	212-226(E)	14360	14360	54.6	17.38	16189			
C-921F	226-240(E)	14360	14360	54.6	17.38	16189			
C-922F	240-254(E)	14360	14360	54.6	17.38	16189			
C-923F	254-268(E)	14360	14360	54.6	17.38	16189			
C-924F	268-282(E)	14360	14360	54.6	17.38	16189			
C-925F	282-296(E)	14360	14360	54.6	17.38	16189			
C-926F	296-310(E)	14360	14360	54.6	17.38	16189			
C-927F	310-324(E)	14360	14360	54.6	17.38	16189			
C-928F	324-338(E)	14360	14360	54.6	17.38	16189			
C-929F	338-352(E)	14360	14360	54.6	17.38	16189			
C-930F	352-366(E)	14360	14360	54.6	17.38	16189			
C-931F	366-380(E)	14360	14360	54.6	17.38	16189			
C-932F	380-394(E)	14360	14360	54.6	17.38	16189			
C-933F	394-408(E)	14360	14360	54.6	17.38	16189			
C-934F	408-422(E)	14360	14360	54.6	17.38	16189			
C-935F	422-436(E)	14360	14360	54.6	17.38	16189			
C-936F	436-450(E)	14360	14360	54.6	17.38	16189			
C-937F	450-464(E)	14360	14360	54.6	17.38	16189			
C-938F	464-478(E)	14360	14360	54.6	17.38	16189			
C-939F	478-492(E)	14360	14360	54.6	17.38	16189			
C-940F	492-506(E)	14360	14360	54.6	17.38	16189			
C-941F	506-520(E)	14360	14360	54.6	17.38	16189			
C-942F	520-534(E)	14360	14360	54.6	17.38	16189			
C-943F	534-548(E)	14360	14360	54.6	17.38	16189			
C-944F	548-562(E)	14360	14360	54.6	17.38	16189			
C-945F	562-576(E)	14360	14360	54.6	17.38	16189			
C-946F	576-590(E)	14360	14360	54.6	17.38	16189			
C-947F	590-604(E)	14360	14360	54.6	17.38	16189			
C-948F	604-618(E)	14360	14360	54.6	17.38	16189			
C-949F	618-632(E)	14360	14360	54.6	17.38	16189			
C-950F	632-646(E)	14360	14360	54.6	17.38	16189			
C-951F	646-660(E)	14360	14360	54.6	17.38	16189			
C-952F	660-674(E)	14360	14360	54.6	17.38	16189			
C-953F	674-688(E)	14360	14360	54.6	17.38	16189			
C-954F	688-702(E)	14360	14360	54.6	17.38	16189			
C-955F	702-716(E)	14360	14360	54.6	17.38	16189			
C-956F	716-730(E)	14360	14360	54.6	17.38	16189			
C-957F	730-744(E)	14360	14360	54.6	17.38	16189			
C-958F	744-758(E)	14360	14360	54.6	17.38	16189			
C-959F	758-772(E)	14360	14360	54.6	17.38	16189			
C-960F	772-786(E)	14360	14360	54.6	17.38	16189			
C-961F	786-800(E)	14360	14360	54.6	17.38	16189			
C-962F	800-814(E)	14360	14360	54.6	17.38	16189			
C-963F	814-828(E)	14360	14360	54.6	17.38	16189			
C-964F	828-842(E)	14360	14360	54.6	17.38	16189			
C-965F	842-856(E)	14360	14360	54.6	17.38	16189			
C-966F	856-870(E)	14360	14360	54.6	17.38	16189			
C-967F	870-884(E)	14360	14360	54.6	17.38	16189			
C-968F	884-898(E)	14360	14360	54.6	17.38	16189			
C-969F	898-912(E)	14360	14360	54.6	17.38	16189			
C-970F	912-926(E)	14360	14360	54.6	17.38	16189			
C-971F	926-940(E)	14360	14360	54.6	17.38	16189			
C-972F	940-954(E)	14360	14360	54.6	17.38	16189			
C-973F	954-968(E)	14360	14360	54.6	17.38	16189			
C-974F	968-982(E)	14360	14360	54.6	17.38	16189			
C-975F	982-996(E)	14360	14360	54.6	17.38	16189			
C-976F	996-1010(E)	14360	14360	54.6	17.38	16189			
C-977F	1010-1024(E)	14360	14360	54.6	17.38	16189			
C-978F	1024-1038(E)	14360	14360	54.6	17.38	16189			
C-979F	1038-1052(E)	14360	14360	54.6	17.38	16189			
C-980F	1052-1066(E)	14360	14360	54.6	17.38	16189			
C-981F	1066-1080(E)	14360	14360	54.6	17.38	16189			
C-982F	1080-1094(E)	14360	14360	54.6	17.38	16189			
C-983F	1094-1108(E)	14360	14360	54.6	17.38	16189			
C-984F	1108-1122(E)	14360	14360	54.6	17.38	16189			
C-985F	1122-1136(E)	14360	14360	54.6	17.38	16189			
C-986F	1136-1150(E)	14360	14360	54.6	17.38	16189			
C-987F	1150-1164(E)	14360	14360	54.6	17.38	16189			
C-988F	1164-1178(E)	14360	14360	54.6	17.38	16189			
C-989F	1178-1192(E)	14360	14360	54.6	17.38	16189			
C-990F	1192-1206(E)	14360	14360	54.6	17.38	16189			
C-991F	1206-1220(E)	14360	14360	54.6	17.38	16189			
C-992F	1220-1234(E)	14360	14360	54.6	17.38	16189			
C-993F	1234-1248(E)	14360	14360	54.6	17.38	16189			
C-994F	1248-1262(E)	14360	14360	54.6	17.38	16189			
C-995F	1262-1276(E)	14360	14360	54.6	17.38	16189			
C-996F	1276-1290(E)	14360	14360	54.6	17.38	16189			
C-997F	1290-1304(E)	14360	14360	54.6	17.38	16189			
C-998F	1304-1318(E)	14360	14360	54.6	17.38	16189			
C-999F	1318-1332(E)	14360	14360	54.6	17.38	16189			
C-1000F	1332-1346(E)	14360	14360	54.6	17.38	16189			
C-1001F	1346-1360(E)	14360	14360	54.6	17.38	16189			
C-1002F	1360-1374(E)	14360	14360	54.6	17.38	16189			
C-1003F	1374-1388(E)	14360	14360	54.6	17.38	16189			
C-1004F	1388-1402(E)	14360	14360	54.6	17.38	16189			
C-1005F	1402-1416(E)	14360	14360	54.6	17.38	16189			
C-1006F	1416-1430(E)	14360	14360	54.6	17.38	16189			
C-1007F	1430-1444(E)	14360	14360	54.6	17.38	16189			
C-1008F	1444-1458(E)	14360	14360	54.6	17.38	16189			
C-1009F	1458-1472(E)	14360	14360	54.6	17.38	16189			
C-1010F	1472-1486(E)	14360	14360	54.6	17.38	16189			
C-1011F	1486-1500(E)	14360	14360	54.6	17.38	16189			
C-1012F	1500-1514(E)	14360	14360	54.6	17.38	16189			
C-1013F	1514-1528(E)	14360	14360	54.6	17.38	16189			
C-1014F	1528-1542(E)	14360	14360	54.6	17.38	16189			
C-1015F	1542-1556(E)	14360	14360	54.6	17.38	16189			
C-1016F	1556-1570(E)	14360	14360	54.6	17.38	16189			
C-1017F	1570-1584(E)	14360	14360	54.6	17.38	16189			
C-1018F	1584-1598(E)	14360	14360	54.6	17.38	16189			
C-1019F	1598-1612(E)								